
GERA light system 2

Wall light GERA light system 2

Under-unit light GERA light system 2

Under-unit light with socket GERA light system 2

GERA light system 3

Light board GERA light system 3

GERA light system 4

Construction base GERA light system 4

Shelf GERA light system 4

Glass shelf GERA light system 4

Built-in light GERA light system 4

Pendant light 20 x 10 GERA light system 4

GERA light system 6

Light rail GERA light system 6

Light rail with glass shelf GERA light system 6

Accessories for the light rail with glass shelf GERA light system 6

Glass shelf 40 x 40 GERA light system 6

Pendant light 40 x 10 GERA light system 6

Pendant light 40 x 40 GERA light system 6

Under-unit light GERA light system 6

Internal cabinet light GERA light system 6

Ceiling light 40 x 40 GERA light system

Pivoted wall light GERA light system 6

Standard lamp 40x40 GERA light system 6

GERA light system 7

Drawer lighting GERA light system 7

Profile light GERA light system 7

Profile light 36° GERA light system 7

GERA light system 8

Wall light with metal screen GERA light system 8

Coat rack light with metal screen GERA light system 8

GERA glass support shelf

GERA profile built-in light

GERA standard lamp AVION

GERA wall light AVION

GERA wall shelf 100

GERA light board 100

GERA light shelf Q40

GERA light shelf 100

GERA light shelf 200

GERA sideboard 100

GERA sideboard 200

GERA transformer LED

GERA LED control unit with motion detector

GERA LED control unit with remote control

GERA LED control unit with a sensor switch within the casing

GERA LED control unit white adaptation with remote light control

GERA LED control unit white adaptation with remote control

GERA LED control unit colour adaptation with remote control

GERA LED control unit white adaptation with micro button switch within the casing

GERA LED control unit colour adaptation RGB-W with remote light control

GERA LED control unit colour adaptation RGB with remote control

Wall light GERA light system 2


www.gera-leuchten.de

Product list 03/03/2017

Light colours

Upper surface colour adaptation / Underside warm white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
900	216 301	226 301
1200	216 302	226 302
1500	216 303	226 303
1800	216 304	226 304
2100	216 305	226 305
2400	216 306	226 306



Customised lengths on request


Under-unit light GERA light system 2

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	216 321	226 321
900	216 322	226 322
1200	216 323	226 323
1500	216 324	226 324
1800	216 325	226 325
2100	216 326	226 326
2400	216 327	226 327




Under-unit light with socket GERA light system 2

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	216 331	226 331
900	216 332	226 332
1200	216 333	226 333
1500	216 334	226 334
1800	216 335	226 335
2100	216 336	226 336
2400	216 337	226 337



Light board GERA light system 3


www.gera-leuchten.de

Product list 03/03/2017

Light colours

Upper surface colour adaptation / Underside warm white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
900	031 021	032 021
1200	031 022	032 022
1500	031 023	032 023
1800	031 024	032 024
2100	031 025	032 025
2400	031 026	032 026



Customised lengths on request

Construction base GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017


Light colour white adaptation

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	20,5	400 264	400 284
900 x 330 x 19	26	400 266	400 286
1200 x 330 x 19	35	400 269	400 289

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised sizes on request
state dimensions of cabinet interior

Construction base GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017

With sensor switch Light colour neutral white

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	20,5	400 314	400 334
900 x 330 x 19	26	400 316	400 336
1200 x 330 x 19	35	400 319	400 339


GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.

With sensor switch Light colour warm white

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	20,5	400 324	400 344
900 x 330 x 19	26	400 326	400 346
1200 x 330 x 19	35	400 329	400 349



Customised sizes on request
state dimensions of cabinet interior

Shelf GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017


Light colour white adaptation

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	10,5	401 214	401 234
900 x 330 x 19	13	401 216	401 236
1200 x 330 x 19	17,5	401 219	401 239

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised sizes on request
state dimensions of cabinet interior

Shelf GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017

With sensor in cabinet Light colour neutral white

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	10,5	401 254	401 274
900 x 330 x 19	13	401 256	401 276
1200 x 330 x 19	17,5	401 259	401 279


GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.

With sensor in cabinet Light colour warm white

L x W x H mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600 x 330 x 19	10,5	401 264	401 284
900 x 330 x 19	13	401 266	401 286
1200 x 330 x 19	17,5	401 269	401 289



Customised sizes on request
state dimensions of cabinet interior


Glass shelf GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
600	403 121	403 131	403 141
900	403 122	403 132	403 142
1200	403 123	403 133	403 143



Customised lengths on request

Built-in light GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017

Light with contact-free sensor switch Light colour neutral white

Length mm	Watt	aluminium coloured Product No.	black-brown coloured Product No.
600	12	412 041	412 061
900	17,5	412 042	412 062
1200	23,5	412 043	412 063
1500	29	412 044	412 064
1800	35	412 045	412 065
2100	40,5	412 046	412 066
2400	46,5	412 047	412 067


Light with contact-free sensor switch Light colour warm white

Length mm	Watt	aluminium coloured Product No.	black-brown coloured Product No.
600	12	412 051	412 071
900	17,5	412 052	412 072
1200	23,5	412 053	412 073
1500	29	412 054	412 074
1800	35	412 055	412 075
2100	40,5	412 056	412 076
2400	46,5	412 057	412 077

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Built-in light GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017


Light colour white adaptation

Length mm	Watt	aluminium coloured	black-brown coloured
		Product No.	Product No.
600	9	412 081	412 091
900	13,5	412 082	412 092
1200	17,5	412 083	412 093
1500	22	412 084	412 094
1800	26,5	412 085	412 095
2100	30,5	412 086	412 096
2400	35	412 087	412 097

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Pendant light 20 x 10 GERA light system 4

www.gera-leuchten.de

Product list 03/03/2017

Contact-free activation and dimming


Light colour neutral white

Length mm	aluminium coloured	black-brown coloured	veneered
	Product No.	Product No.	Product No.
900	410 041	410 051	410 061
1200	410 042	410 052	410 062
1500	410 043	410 053	410 063

Contact-free activation and dimming

Light colour warm white

Length mm	aluminium coloured	black-brown coloured	veneered
	Product No.	Product No.	Product No.
900	410 044	410 054	410 064
1200	410 045	410 055	410 065
1500	410 046	410 056	410 066



Light rail GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017


Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	624 221	624 231
900	17,5	624 222	624 232
1200	23,5	624 223	624 233

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.




Light rail with glass shelf GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Light rail with plug and USB charging plug Light colour white adaptation

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
700	628 231	628 241	628 251
900	628 232	628 242	628 252
1000	628 233	628 243	628 253
1200	628 234	628 244	628 254
1790	628 235	628 245	628 255
2380	628 236	628 246	628 256




Hanging elements on a separate product list
Customised lengths on request

Accessories for the light rail with glass shelf

GERA light system 6

Product list 03/03/2017

	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
knife block	628 070	628 001	628 151
roll holder	628 071	628 002	628 152
spoon box	628 072	628 003	628 153
long glass shelf	628 073	628 004	628 154
long wooden shelf	628 074	628 005	628 155
hook	628 075	628 006	628 156
short glass shelf	628 076	628 000	628 157
short wooden shelf	628 077	628 007	628 158



Glass shelf 40 x 40 GERA light system 6

www.gera-leuchten.de


Product list 03/03/2017

Light colour neutral white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	604 161	604 181
900	604 162	604 182
1200	604 163	604 183

Light colour warm white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	604 171	604 191
900	604 172	604 192
1200	604 173	604 193



Pendant light 40 x 10

GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Contact-free activation and dimming


Light colour neutral white

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
900	620 281	620 291	620 301
1200	620 282	620 292	620 302
1500	620 283	620 293	620 303

Contact-free activation and dimming

Light colour warm white

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
900	620 284	620 294	620 304
1200	620 285	620 295	620 305
1500	620 286	620 296	620 306



Pendant light 40 x 40

GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Contact-free activation and dimming


Light colour neutral white

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
900	617 261	617 271	617 281
1200	617 262	617 272	617 282
1500	617 263	617 273	617 283

Contact-free activation and dimming

Light colour warm white

Length mm	aluminium coloured	stainless steel coloured	black-brown coloured
	Product No.	Product No.	Product No.
900	617 264	617 274	617 284
1200	617 265	617 275	617 285
1500	617 266	617 276	617 286



Under-unit light GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Light with contact-free sensor switch Light colour neutral white

Length mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600	12	622 230	622 200
900	17,5	622 231	622 201
1200	23,5	622 232	622 202
1500	29	622 233	622 203
1800	35	622 234	622 204
2100	40,5	622 235	622 205
2400	46,5	622 236	622 206


Light with contact-free sensor switch Light colour warm white

Length mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600	12	622 240	622 260
900	17,5	622 241	622 261
1200	23,5	622 242	622 262
1500	29	622 243	622 263
1800	35	622 244	622 264
2100	40,5	622 245	622 265
2400	46,5	622 246	622 266

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Under-unit light GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017


Light colour white adaptation

Length mm	Watt	aluminium coloured Product No.	stainless steel coloured Product No.
600	9	622 270	622 280
900	13,5	622 271	622 281
1200	17,5	622 272	622 282
1500	22	622 273	622 283
1800	26,5	622 274	622 284
2100	30,5	622 275	622 285
2400	35	622 276	622 286

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Under-unit light GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017


Light colour colour adaptation

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	622 330	622 340
900	17,5	622 331	622 341
1200	23,5	622 332	622 342
1500	29	622 333	622 343
1800	35	622 334	622 344
2100	40,5	622 335	622 345
2400	46,5	622 336	622 346

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Internal cabinet light GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Light with sensor in cabinet

Light colour neutral white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	622 290	622 300
900	17,5	622 291	622 301
1200	23,5	622 292	622 302
1500	29	622 293	622 303
1800	35	622 294	622 304
2100	40,5	622 295	622 305
2400	46,5	622 296	622 306

Light with sensor in cabinet


Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	622 310	622 320
900	17,5	622 311	622 321
1200	23,5	622 312	622 322
1500	29	622 313	622 323
1800	35	622 314	622 324
2100	40,5	622 315	622 325
2400	46,5	622 316	622 326

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Ceiling light 40 x 40

GERA light system 6

www.gera-leuchten.de


Product list 03/03/2017

Light colour neutral white

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	627 051	627 071
900	627 052	627 072
1200	627 053	627 073
1500	627 054	627 074
1800	627 055	627 075
2100	627 056	627 076
2400	627 057	627 077

Light colour warm white

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	627 061	627 081
900	627 062	627 082
1200	627 063	627 083
1500	627 064	627 084
1800	627 065	627 085
2100	627 066	627 086
2400	627 067	627 087




Customised lengths on request

Pivoted wall light GERA light system 6

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	610 221	610 231
900	610 222	610 232
1200	610 223	610 233
1500	610 224	610 234




Standard lamp 40x40 GERA light system 6

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Hight mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
1500	070 034	070 035
1800	070 015	070 017



Drawer lighting GERA light system 7

www.gera-leuchten.de

Product list 03/03/2017


Light colour neutral white

Length mm	Watt	aluminium coloured Product No.
411	3	706 161
461	3,5	706 162
561	4,5	706 163
661	5	706 164
761	6	706 165
861	6,5	706 166
961	7,5	706 167
1161	9	706 168

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Drawer lighting GERA light system 7

www.gera-leuchten.de

Product list 03/03/2017


Light colour warm white

Length mm	Watt	aluminium coloured Product No.
411	3	706 171
461	3,5	706 172
561	4,5	706 173
661	5	706 174
761	6	706 175
861	6,5	706 176
961	7,5	706 177
1161	9	706 178

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

Profile light GERA light system 7

www.gera-leuchten.de


Product list 03/03/2017

Light colour neutral white

Length mm	Watt	aluminium coloured Product No.
600	4,5	700 021
900	7	700 022
1200	9	700 023
1500	11,5	700 024
1800	13,5	700 025

Light colour warm white

Length mm	Watt	aluminium coloured Product No.
600	4,5	700 031
900	7	700 032
1200	9	700 033
1500	11,5	700 034
1800	13,5	700 035



GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.

in endless possible versions and customised lengths


Profile light GERA light system 7

www.gera-leuchten.de

Product list 03/03/2017

Light colour colour adaptation

Length mm	Watt	aluminium coloured Product No.
600	10,5	700 041
900	15,5	700 042
1200	20,5	700 043
1500	25,5	700 044
1800	31	700 045



GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.

in endless possible versions and customised lengths

Profile light 36° GERA light system 7

www.gera-leuchten.de


Product list 03/03/2017

Light colour neutral white 500 lm/m

Length mm	Watt	aluminium coloured Product No.
600	4,5	701 011
900	7	701 012
1200	9	701 013
1500	11,5	701 014
1800	13,5	701 015

Light colour warm white 500 lm/m


Length mm	Watt	aluminium coloured Product No.
600	4,5	701 021
900	7	701 022
1200	9	701 023
1500	11,5	701 024
1800	13,5	701 025



GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



in endless possible versions and customised lengths


Profile light 36° GERA light system 7

www.gera-leuchten.de

Product list 03/03/2017

Light colour colour adaptation


Length mm	Watt	aluminium coloured Product No.
600	10,5	701 031
900	15,5	701 032
1200	20,5	701 033
1500	25,5	701 034
1800	31	701 035



GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



in endless possible versions and customised lengths


Profile light 36° GERA light system 7

www.gera-leuchten.de

Product list 03/03/2017

Light colour neutral white 1000lm/m

Length mm	Watt	aluminium coloured Product No.
600	9	701 041
900	13	701 042
1200	17,5	701 043
1500	22	701 044
1800	26	701 045




GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.

Light colour warm white 1000lm/m

Length mm	Watt	aluminium coloured Product No.
600	9	701 051
900	13	701 052
1200	17,5	701 053
1500	22	701 054
1800	26	701 055



in endless possible versions and customised lengths


Wall light with metal screen GERA light system 8

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	840 071	840 081
900	840 072	840 082
1200	840 073	840 083



Customised lengths on request, max.

1200 mm


Coat rack light with metal screen GERA light system 8

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	890 171	890 181
900	890 172	890 182
1200	890 173	890 183



hook rack

	aluminium coloured
	Product No.
380	890 020

	black-brown coloured
	Product No.
380	890 025

GERA glass support shelf

www.gera-leuchten.de


Product list 03/03/2017

Light colour neutral white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	503 022	504 022
800	503 023	504 023
900	503 024	504 024
1000	503 025	504 025
1200	503 026	504 026

Light colour warm white

Length mm	aluminium coloured	stainless steel coloured
	Product No.	Product No.
600	503 032	504 032
800	503 033	504 033
900	503 034	504 034
1000	503 035	504 035
1200	503 036	504 036



Customised lengths on request

GERA profile built-in light

www.gera-leuchten.de

Product list 03/03/2017

Light colour neutral white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 061	040 081
900	17,5	040 062	040 082
1200	23,5	040 063	040 083
1500	29	040 064	040 084
1800	35	040 065	040 085
2100	40,5	040 066	040 086


Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 071	040 091
900	17,5	040 072	040 092
1200	23,5	040 073	040 093
1500	29	040 074	040 094
1800	35	040 075	040 095
2100	40,5	040 076	040 096

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

GERA profile built-in light

www.gera-leuchten.de

Product list 03/03/2017


Light colour colour adaptation

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 271	040 281
900	17,5	040 272	040 282
1200	23,5	040 273	040 283
1500	29	040 274	040 284
1800	35	040 275	040 285
2100	40,5	040 276	040 286

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

GERA profile built-in light

www.gera-leuchten.de

Product list 03/03/2017

Light with contact-free sensor switch

Light colour neutral white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 121	040 141
900	17,5	040 122	040 142
1200	23,5	040 123	040 143
1500	29	040 124	040 144
1800	35	040 125	040 145
2100	40,5	040 126	040 146

Light with contact-free sensor switch


Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 131	040 151
900	17,5	040 132	040 152
1200	23,5	040 133	040 153
1500	29	040 134	040 154
1800	35	040 135	040 155
2100	40,5	040 136	040 156

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

GERA profile built-in light

www.gera-leuchten.de

Product list 03/03/2017

Light With sensor in cabinet

Light colour neutral white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 161	040 181
900	17,5	040 162	040 182
1200	23,5	040 163	040 183
1500	29	040 164	040 184
1800	35	040 165	040 185
2100	40,5	040 166	040 186

Light With sensor in cabinet


Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	040 171	040 191
900	17,5	040 172	040 192
1200	23,5	040 173	040 193
1500	29	040 174	040 194
1800	35	040 175	040 195
2100	40,5	040 176	040 196

GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request


GERA standard lamp AVION

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Hight mm	aluminium coloured	white	black-brown coloured
	Product No.	Product No.	Product No.
1500	070 031	070 032	070 033
1800	070 012	070 013	070 016




GERA wall light AVION

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Length mm	aluminium coloured	black-brown coloured
	Product No.	Product No.
600	071 011	071 021
900	071 012	071 022
1000	071 013	071 023
1200	071 014	071 024
1500	071 015	071 025



Customised lengths on request, max. 1500 mm

GERA wall shelf 100

www.gera-leuchten.de


Product list 03/03/2017

Light colour white adaptation

Model	aluminium coloured	black-brown coloured
	Product No.	Product No.
single set	630 361	630 365
double set	630 362	630 366

Light colour colour adaptation

Model	aluminium coloured	black-brown coloured
	Product No.	Product No.
single set	630 363	630 367
double set	630 364	630 368



Shelf | Rear panel*

	Product No.
satin-finished glass shelf	694 008
oak veneer shelf dark	694 014
oak veneer shelf reed brown	694 015
rear glass panel satin-finished	630 401

* must be ordered separately


GERA light board 100

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation

Model	aluminium coloured	black-brown coloured
	Product No.	Product No.
single set glass shelf	631 021	631 031
double set glass shelf	631 023	631 033
triple set glass shelf	631 025	631 035



GERA light shelf Q40

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation


Dimensions	aluminium coloured	black-brown coloured
	Product No.	Product No.
400 x 1570	696 001	696 011
400 x 1950	696 002	696 012
400 x 2330	696 003	696 013

Light colour colour adaptation

Dimensions	aluminium coloured	black-brown coloured
	Product No.	Product No.
400 x 1570	696 021	696 031
400 x 1950	696 022	696 032
400 x 2330	696 023	696 033

Shelf*

	Product No.
satin-finished glass shelf	696 100
oak veneer shelf dark	696 101
oak veneer shelf reed brown	696 102



* must be ordered separately

GERA light shelf 100

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation


aluminium coloured	black-brown coloured
Product No.	Product No.
694 021	694 051

Light colour colour adaptation

aluminium coloured	black-brown coloured
Product No.	Product No.
694 181	694 191

Shelf*

	Product No.
satin-finished glass shelf	694 008
oak veneer shelf dark	694 014
oak veneer shelf reed brown	694 015



* must be ordered separately

GERA light shelf 200

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation


aluminium coloured	black-brown coloured
Product No.	Product No.
694 022	694 052

Light colour colour adaptation

aluminium coloured	black-brown coloured
Product No.	Product No.
694 182	694 192

Shelf*

	Product No.
satin-finished glass shelf	694 008
oak veneer shelf dark	694 014
oak veneer shelf reed brown	694 015



* must be ordered separately

GERA sideboard 100

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation


aluminium coloured	black-brown coloured
Product No.	Product No.
695 011	695 012

Light colour colour adaptation

aluminium coloured	black-brown coloured
Product No.	Product No.
695 021	695 022

Shelf*

	Product No.
satin-finished glass shelf	694 008
oak veneer shelf dark	694 014
oak veneer shelf reed brown	694 015



* must be ordered separately

GERA sideboard 200

www.gera-leuchten.de

Product list 03/03/2017

Light colour white adaptation


aluminium coloured	black-brown coloured
Product No.	Product No.
695 031	695 032

Light colour colour adaptation

aluminium coloured	black-brown coloured
Product No.	Product No.
695 041	695 042

Shelf*

	Product No.
satin-finished glass shelf	694 008
oak veneer shelf dark	694 014
oak veneer shelf reed brown	694 015




* must be ordered separately

GERA transformer LED

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 201
50 W	710 202
75 W	710 203
extension cable	710 041
distributor	710 040




GERA LED control unit with motion detector

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 211
50 W	710 212
75 W	710 213
extension cable	710 041
distributor	710 040




GERA LED control unit with remote control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 221
50 W	710 222
75 W	710 223
extension cable	710 041
distributor	710 040




GERA LED control unit with a sensor switch within the casing

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 231
50 W	710 232
75 W	710 233

extension cable	710 041
distributor	710 040




GERA LED control unit white adaptation with remote light control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 241
50 W	710 242
75 W	710 243
extension cable	710 041
distributor	710 040




GERA LED control unit white adaptation with remote control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 251
50 W	710 252
75 W	710 253
extension cable	710 041
distributor	710 040




GERA LED control unit colour adaptation with remote control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 291
50 W	710 292
75 W	710 293

extension cable	710 041
distributor	710 040




GERA LED control unit white adaptation with micro button switch within the casing

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 261
50 W	710 262
75 W	710 263

extension cable	710 041
distributor	710 040




GERA LED control unit colour adaptation RGB-W with remote light control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 271
50 W	710 272
75 W	710 273



GERA LED control unit colour adaptation RGB with remote control

www.gera-leuchten.de

Product list 03/03/2017

Power	Product No.
30 W	710 281
50 W	710 282
75 W	710 283

