

## Under-unit light 40x10 GERA light system 6

[www.gera-leuchten.de](http://www.gera-leuchten.de)

**Product list 03/03/2017**

### Light with contact-free sensor switch

#### Light colour neutral white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	<b>622 230</b>	<b>622 200</b>
900	17,5	<b>622 231</b>	<b>622 201</b>
1200	23,5	<b>622 232</b>	<b>622 202</b>
1500	29	<b>622 233</b>	<b>622 203</b>
1800	35	<b>622 234</b>	<b>622 204</b>
2100	40,5	<b>622 235</b>	<b>622 205</b>
2400	46,5	<b>622 236</b>	<b>622 206</b>

### Light with contact-free sensor switch


#### Light colour warm white

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	<b>622 240</b>	<b>622 260</b>
900	17,5	<b>622 241</b>	<b>622 261</b>
1200	23,5	<b>622 242</b>	<b>622 262</b>
1500	29	<b>622 243</b>	<b>622 263</b>
1800	35	<b>622 244</b>	<b>622 264</b>
2100	40,5	<b>622 245</b>	<b>622 265</b>
2400	46,5	<b>622 246</b>	<b>622 266</b>

### GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

## Under-unit light 40x10 GERA light system 6

[www.gera-leuchten.de](http://www.gera-leuchten.de)

**Product list 03/03/2017**


### Light colour white adaptation

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	9	<b>622 270</b>	<b>622 280</b>
900	13,5	<b>622 271</b>	<b>622 281</b>
1200	17,5	<b>622 272</b>	<b>622 282</b>
1500	22	<b>622 273</b>	<b>622 283</b>
1800	26,5	<b>622 274</b>	<b>622 284</b>
2100	30,5	<b>622 275</b>	<b>622 285</b>
2400	35	<b>622 276</b>	<b>622 286</b>

### GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request

## Under-unit light 40x10 GERA light system 6

[www.gera-leuchten.de](http://www.gera-leuchten.de)

**Product list 03/03/2017**


### Light colour colour adaptation

Length mm	Watt	aluminium coloured	stainless steel coloured
		Product No.	Product No.
600	12	<b>622 330</b>	<b>622 340</b>
900	17,5	<b>622 331</b>	<b>622 341</b>
1200	23,5	<b>622 332</b>	<b>622 342</b>
1500	29	<b>622 333</b>	<b>622 343</b>
1800	35	<b>622 334</b>	<b>622 344</b>
2100	40,5	<b>622 335</b>	<b>622 345</b>
2400	46,5	<b>622 336</b>	<b>622 346</b>

### GERA control units

This light is operated from an external electronic GERA control unit.

Refer to product list for compatible GERA control unit.



Customised lengths on request